

*Surface Water Results Summary
Ecological Comparison*

Sample Identification	PQL	Aquatic Ecosystem Guideline ^A	SW1	SW2
Rainfall (mm) in preceding 24hours ^B		95% Fresh	1.0	
Time of Sample Collection			7:00	7:00
Date of Sample Collection			24/03/2025	
Sample Description			Dirty brown, small amount of sediment, little to no odour	Dirty brown, small amount of sediment, little to no odour
Laboratory Report Reference			ES2508243	ES2508243
Sample Purpose			EPL Compliance	
Sample collected by			Toll - JC	
Ammonia as N	0.01	0.9	129	9.41
Nitrate ^C	0.01	0.04	317	143
Oil and Grease	5		<5	<5
Total Suspended Solds	5		786	418

All results are in units of mg/L

Blank Cell indicates no criterion available





PQL = Practical Quantitation Limit.

^A % Protection Level for Receiving Water Type.

^B Based on BOM Williamstown data from 7am 23rd March to 7am 24th March 2025.

^C Guidelines for Lowland (Coastal) Rivers in NSW

Results shown in **BOLD** are in excess of the guidelines





CERTIFICATE OF ANALYSIS

Work Order : **ES2508243**
Client : **ROBERT CARR & ASSOCIATES P/L**
Contact : **MS FIONA BROOKER**
Address : **92 HILL STREET**
CARRINGTON NSW 2294
Telephone : **+61 02 4902 9200**
Project : **12513e (Discharge Water Monitoring)**
Order number : **----**
C-O-C number : **----**
Sampler : **Toll SST Tomagao (James Cunningham)**
Site : **----**
Quote number : **NSW Custom BQ 2024**
No. of samples received : **2**
No. of samples analysed : **2**

Page : **1 of 2**
Laboratory : **Environmental Division Sydney**
Contact : **Danae Hambly**
Address : **277-289 Woodpark Road Smithfield NSW Australia 2164**
Telephone : **+61-2-8784 8555**
Date Samples Received : **24-Mar-2025 11:07**
Date Analysis Commenced : **25-Mar-2025**
Issue Date : **28-Mar-2025 14:36**



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 ^ = This result is computed from individual analyte detections at or above the level of reporting
 ø = ALS is not NATA accredited for these tests.
 ~ = Indicates an estimated value.

Analytical Results

Sub-Matrix: **WATER**
 (Matrix: **WATER**)

Sample ID				SW1	SW2	----	----	----
Sampling date / time				24-Mar-2025 07:00	24-Mar-2025 07:00	----	----	----
Compound	CAS Number	LOR	Unit	ES2508243-001	ES2508243-002	-----	-----	-----
Result				Result	Result	----	----	----
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	----	5	mg/L	786	418	----	----	----
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	129	9.41	----	----	----
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	1.35	2.03	----	----	----
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	317	143	----	----	----
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	318	145	----	----	----
EP020: Oil and Grease (O&G)								
Oil & Grease	----	5	mg/L	<5	<5	----	----	----



QUALITY CONTROL REPORT

Work Order	: ES2508243	Page	: 1 of 3
Client	: ROBERT CARR & ASSOCIATES P/L	Laboratory	: Environmental Division Sydney
Contact	: MS FIONA BROOKER	Contact	: Danae Hambly
Address	: 92 HILL STREET CARRINGTON NSW 2294	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone	: +61 02 4902 9200	Telephone	: +61-2-8784 8555
Project	: 12513e (Discharge Water Monitoring)	Date Samples Received	: 24-Mar-2025
Order number	: ----	Date Analysis Commenced	: 25-Mar-2025
C-O-C number	: ----	Issue Date	: 28-Mar-2025
Sampler	: Toll SST Tomagao (James Cunningham)		
Site	: ----		
Quote number	: NSW Custom BQ 2024		
No. of samples received	: 2		
No. of samples analysed	: 2		



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC
 * = The final LOR has been raised due to dilution or other sample specific cause; adjusted LOR is shown in brackets. The duplicate ranges for Acceptable RPD% are applied to the final LOR where applicable.

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EA025: Total Suspended Solids dried at 104 ± 2°C (QC Lot: 6467628)									
ES2508162-001	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	78	77	0.0	0% - 50%
ES2508243-002	SW2	EA025H: Suspended Solids (SS)	----	5	mg/L	418	402	4.1	0% - 20%
ES2508382-004	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	88	87	0.0	0% - 50%
ES2508613-002	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	<5	<5	0.0	No Limit
EK055G: Ammonia as N by Discrete Analyser (QC Lot: 6467087)									
ES2507713-028	Anonymous	EK055G: Ammonia as N	7664-41-7	0.01 (0.10)*	mg/L	0.53	0.50	6.1	No Limit
EK057G: Nitrite as N by Discrete Analyser (QC Lot: 6463742)									
ES2508331-005	Anonymous	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.0	No Limit
ES2508331-001	Anonymous	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.0	No Limit
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QC Lot: 6467086)									
EN2504902-001	Anonymous	EK059G: Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.01	0.0	No Limit
EN2504953-008	Anonymous	EK059G: Nitrite + Nitrate as N	----	0.01	mg/L	0.01	0.01	0.0	No Limit



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Acceptable Limits (%) Low High	
Method: Compound	CAS Number	LOR	Unit	Result				
EA025: Total Suspended Solids dried at 104 ± 2°C (QCLot: 6467628)								
EA025H: Suspended Solids (SS)	----	5	mg/L	<5	150 mg/L	98.3	83.0	129
				<5	1000 mg/L	85.9	82.0	110
				<5	842 mg/L	96.2	83.0	118
EK055G: Ammonia as N by Discrete Analyser (QCLot: 6467087)								
EK055G: Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.5 mg/L	106	90.0	114
EK057G: Nitrite as N by Discrete Analyser (QCLot: 6463742)								
EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.5 mg/L	99.9	82.0	114
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 6467086)								
EK059G: Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.5 mg/L	106	91.0	113
EP020: Oil and Grease (O&G) (QCLot: 6466492)								
EP020: Oil & Grease	----	5	mg/L	<5	5000 mg/L	101	81.0	121
				<5	4000 mg/L	90.8	70.0	110

Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike	SpikeRecovery(%)	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EK055G: Ammonia as N by Discrete Analyser (QCLot: 6467087)							
ES2507713-028	Anonymous	EK055G: Ammonia as N	7664-41-7	10 mg/L	103	70.0	130
EK057G: Nitrite as N by Discrete Analyser (QCLot: 6463742)							
ES2508331-001	Anonymous	EK057G: Nitrite as N	14797-65-0	0.5 mg/L	101	70.0	130
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 6467086)							
EN2504902-001	Anonymous	EK059G: Nitrite + Nitrate as N	----	0.5 mg/L	114	70.0	130



QA/QC Compliance Assessment to assist with Quality Review

Work Order	: ES2508243	Page	: 1 of 4
Client	: ROBERT CARR & ASSOCIATES P/L	Laboratory	: Environmental Division Sydney
Contact	: MS FIONA BROOKER	Telephone	: +61-2-8784 8555
Project	: 12513e (Discharge Water Monitoring)	Date Samples Received	: 24-Mar-2025
Site	: ----	Issue Date	: 28-Mar-2025
Sampler	: Toll SST Tomagao (James Cunningham)	No. of samples received	: 2
Order number	: ----	No. of samples analysed	: 2

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- **NO** Matrix Spike outliers occur.
- For all regular sample matrices, where applicable to the methodology, **NO** surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results. This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein. Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters. Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: WATER

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EA025: Total Suspended Solids dried at 104 ± 2°C							
Clear Plastic Bottle - Natural (EA025H) SW1, SW2	24-Mar-2025	----	----	----	27-Mar-2025	31-Mar-2025	✔
EK055G: Ammonia as N by Discrete Analyser							
Clear Plastic Bottle - Sulfuric Acid (EK055G) SW1	24-Mar-2025	----	----	----	26-Mar-2025	21-Apr-2025	✔
Clear Plastic Bottle - Sulfuric Acid (EK055G) SW2	24-Mar-2025	----	----	----	27-Mar-2025	21-Apr-2025	✔
EK057G: Nitrite as N by Discrete Analyser							
Clear Plastic Bottle - Natural (EK057G) SW1, SW2	24-Mar-2025	----	----	----	26-Mar-2025	26-Mar-2025	✔
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser							
Clear Plastic Bottle - Sulfuric Acid (EK059G) SW1, SW2	24-Mar-2025	----	----	----	26-Mar-2025	21-Apr-2025	✔
EP020: Oil and Grease (O&G)							
Amber Jar - Sulfuric Acid or Sodium Bisulfate (EP020) SW1, SW2	24-Mar-2025	----	----	----	26-Mar-2025	21-Apr-2025	✔



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type		Count		Rate (%)			Quality Control Specification
Analytical Methods	Method	QC	Regular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Ammonia as N by Discrete analyser	EK055G	1	5	20.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	2	16	12.50	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	2	20	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	4	40	10.00	10.00	✔	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Ammonia as N by Discrete analyser	EK055G	1	5	20.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	16	6.25	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Oil and Grease	EP020	4	49	8.16	8.00	✔	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	5	40	12.50	12.50	✔	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Ammonia as N by Discrete analyser	EK055G	1	5	20.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	16	6.25	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Oil and Grease	EP020	3	49	6.12	6.00	✔	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	2	40	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Ammonia as N by Discrete analyser	EK055G	1	5	20.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	16	6.25	5.00	✔	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	20	5.00	5.00	✔	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Suspended Solids (High Level)	EA025H	WATER	In house: Referenced to APHA 2540D. A gravimetric procedure employed to determine the amount of 'non-filterable' residue in a aqueous sample. The prescribed GFC (1.2um) filter is rinsed with deionised water, oven dried and weighed prior to analysis. A well-mixed sample is filtered through a glass fibre filter (1.2um). The residue on the filter paper is dried at 104+/-2C . This method is compliant with NEPM Schedule B(3)
Ammonia as N by Discrete analyser	EK055G	WATER	In house: Referenced to APHA 4500-NH3 G. Ammonia is determined by direct colorimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Nitrite as N by Discrete Analyser	EK057G	WATER	In house: Referenced to APHA 4500-NO2- B. Nitrite is determined by direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Nitrate as N by Discrete Analyser	EK058G	WATER	In house: Referenced to APHA 4500-NO3- F. Nitrate is reduced to nitrite by way of a chemical reduction followed by quantification by Discrete Analyser. Nitrite is determined seperately by direct colourimetry and result for Nitrate calculated as the difference between the two results. This method is compliant with NEPM Schedule B(3)
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	WATER	In house: Referenced to APHA 4500-NO3- F. Combined oxidised Nitrogen (NO2+NO3) is determined by Chemical Reduction and direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Oil and Grease	EP020	WATER	In house: Referenced to APHA 5520 B. Oil & grease is a gravimetric procedure to determine the amount of dissolved or emulsified oil & grease residue in an aqueous sample. The sample is serially extracted three times n-hexane. The resultant extracts are combined, dehydrated and concentrated prior to gravimetric determination. This method is compliant with NEPM Schedule B(3)

CHAIN OF CUSTODY

ALS Laboratory:
please tick →

WADELAIDE 21 Durma Road Pooraka SA 5005
Ph. 08 8350 0000 E. cs@wadeelaide.com

Ph. 08 8359 9999 E. auclade@alacelab.com

BRISBANE 32 Strand Street Stiefel QLD 4053

Ph: 07 3243 7222 E: samples.brisbane@aisplabrl.com

□ GLADSTONE 48 Callowaydale Drive, Chelsea, MI 4800

Ph. 07 7471 5009 E. piadstone@pakslebul.com

CHACKAY 30 Harbor Road Mackay, Q. 1 4340

Ph. 974 944 0177 E: mackay@palanohol.com

ONE BOURNE 2-4 WOODBURY ROAD BURLINGTON VT 05401

Ph: 03 8542 9699 samples@elbourne@elbourne.com

JUDGE 27 Sydney Paul Mudge MSW 2850

Ph. 07 0372 6735 E. mudasa@mail@alishai.com

NEWCASTLE 5/595 Highland Rd Mayfield West NSW 1510

Ph. 02 4014 2500 E. samples@newcastleglobal.com

CINOWRA 4/13 Garry Place North Nours NPA/2544

Ph: 924423 2003 E: powera@aisglobal.com

153-050751-1-0-14-1316-18-1-1531-0004

PERTH TO H&B Way Malaga VIA BOBO
On 08 0200 3555 E. enquiries@h&b.com.au

《中国材料科学》 2015 年第 1 期

Ph. 03 8324 8666 E: emma@emma-jordan.com

CITATION: 15-4415, 2015-01-28, 2015-01-28, 2015-01-28

Ph: 07 4796 0600 E: jay@jessie.com.au www.jessie.com.au

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 103–110

WOLLONGONG 99 Kunny Street Wollongong NSW 2500
Tel. 02 4226 3122 Fax 02 4226 3123

CLIENT: RCA Australia		TURNAROUND REQUIREMENTS : <input type="checkbox"/> Standard TAT (List due date):		FOR LABORATORY USE ONLY (Circle)	
OFFICE: 92 Hill Street, Carrington		(Standard TAT may be longer for some tests e.g., Ultra Trace Organics)		Custody Seal Intact? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
RCA Ref No: 12513e		ALS QUOTE NO.: EN/222/24		Free ice / frozen ice bricks present upon receipt? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
				Random Sample Temperature on Receipt: 25.8 °C	
PROJECT MANAGER: Fiona Brooker		CONTACT PH: 0408 687 529		Other comment:	
SAMPLER: Toll SST Tomagao		SAMPLER MOBILE: 0417 922 551		RECEIVED BY: Cassie M	
COC emailed to ALS? (NO)		EDD FORMAT (or default):		DATE/TIME: 11:05 24.03.25	
Email Reports to: administrator@rca.com.au + enviro@rca.com.au		gastonjeane.forget@tollgroup.com		DATE/TIME: 1700 24/03/25	
Email Invoice to: as above		24.3.25 7am		DATE/TIME: 19:30 24/03/25	

COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:

ALS USE	SAMPLE DETAILS MATRIX: SOLID (S) WATER (W)			CONTAINER INFORMATION		ANALYSIS REQUIRED including SUITES (NB. Suite Codes must be listed to attract suite price) Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).								Additional Information	
LAB ID	Sample ID	Date / Time	Matrix	Type & Preservative (refer to codes below)	Total Containers	EK06SG - Ammonia	EK06RG - Nitrate	EA02SH - Total Suspended Solids	EP020 - Oil and Grease						Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.
	SW1	24.3.25 7am	W	Purple Glass, Purple Plastic, Green Plastic	3	x	x	x	x						
	SW2	24.3.25 7am	W	Purple Glass, Purple Plastic, Green Plastic	3	x	x	x	x						

LAB OF ORIGIN
NEWCASTLE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Environmental Division
Sydney

Work Order Reference

ES2508243



Telephone : +61-2-8784 8555

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; AP = Airfreight Unpreserved Plastic
V = VOA Vial HCl Preserved; VB = VOA Vial Sodium Bisulphate Preserved; VS = VOA Vial Sulfuric Preserved; AV = Airfreight Unpreserved Vial SG = Sulfuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulfuric Preserved Plastic
Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bag for Acid Sulphate Solis; U = Unpreserved Bag.



SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **ES2508243**

Client : **ROBERT CARR & ASSOCIATES P/L**
Contact : **MS FIONA BROOKER**
Address : **92 HILL STREET
CARRINGTON NSW 2294**

E-mail : **fionab@rca.com.au**
Telephone : **+61 02 4902 9200**
Facsimile : **+61 02 4902 9299**

Project : **12513e (Discharge Water Monitoring)**
Order number : **----**

C-O-C number : **----**
Site : **----**
Sampler : **Toll SST Tomagao (James
Cunninghom)**

Laboratory : **Environmental Division Sydney**
Contact : **Danae Hambly**
Address : **277-289 Woodpark Road Smithfield
NSW Australia 2164**

E-mail : **danae.hambly@alsglobal.com**
Telephone : **+61-2-8784 8555**
Facsimile : **+61-2-8784 8500**

Page : **1 of 3**
Quote number : **EN2023ROBCAR0002 (NSW Custom
BQ 2024)**
QC Level : **NEPM 2013 B3 & ALS QC Standard**

Dates

Date Samples Received : **24-Mar-2025 11:07**
Client Requested Due : **31-Mar-2025**
Date

Issue Date : **24-Mar-2025**
Scheduled Reporting Date : **31-Mar-2025**

Delivery Details

Mode of Delivery : **Undefined**
No. of coolers/boxes : **1**
Receipt Detail :

Security Seal : **Not Available**
Temperature : **25.8**
No. of samples received / analysed : **2 / 2**

General Comments

- This report contains the following information:
 - Sample Container(s)/Preservation Non-Compliances
 - Summary of Sample(s) and Requested Analysis
 - Proactive Holding Time Report
 - Requested Deliverables
- **Please refer to the Proactive Holding Time Report table below which summarises breaches of recommended holding times that have occurred prior to samples/instructions being received at the laboratory. The laboratory will process these samples unless instructions are received from you indicating you do not wish to proceed. The absence of this summary table indicates that all samples have been received within the recommended holding times for the analysis requested.**
- Please direct any queries you have regarding this work order to the above ALS laboratory contact.
- Unless otherwise stated, analytical work for this work order will be conducted at ALS Sydney, NATA accreditation no. 825, site no. 10911.
- Sample Disposal - Aqueous (3 weeks), Solid (2 months \pm 1 week) from receipt of samples.
- Please be aware that APHA/NEPM recommends water and soil samples be chilled to less than or equal to 6°C for chemical analysis, and less than or equal to 10°C but unfrozen for Microbiological analysis. Where samples are received above this temperature, it should be taken into consideration when interpreting results. Refer to ALS EnviroMail 85 for ALS recommendations of the best practice for chilling samples after sampling and for maintaining a cool temperature during transit.



Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default 00:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory and displayed in brackets without a time component

Matrix: **WATER**

Laboratory sample ID	Sampling date / time	Sample ID	WATER - EA025H Suspended Solids - Standard Level	WATER - EK055G Ammonia as N By Discrete Analyser	WATER - EK058G Nitrate as N by Discrete Analyser	WATER - EP020 Oil & Grease (O&G)
ES2508243-001	24-Mar-2025 07:00	SW1	✓	✓	✓	✓
ES2508243-002	24-Mar-2025 07:00	SW2	✓	✓	✓	✓

Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.



Requested Deliverables

ADMINISTRATOR

- *AU Certificate of Analysis - NATA (COA)	Email	administrator@rca.com.au
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	administrator@rca.com.au
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	administrator@rca.com.au
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	administrator@rca.com.au
- A4 - AU Tax Invoice (INV)	Email	administrator@rca.com.au
- Chain of Custody (CoC) (COC)	Email	administrator@rca.com.au
- EDI Format - ENMRG (ENMRG)	Email	administrator@rca.com.au
- EDI Format - ESDAT (ESDAT)	Email	administrator@rca.com.au

ALL INVOICES

- A4 - AU Tax Invoice (INV)	Email	administrator@rca.com.au
-----------------------------	-------	--------------------------

ENVIRO

- *AU Certificate of Analysis - NATA (COA)	Email	enviro@rca.com.au
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	enviro@rca.com.au
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	enviro@rca.com.au
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	enviro@rca.com.au
- A4 - AU Tax Invoice (INV)	Email	enviro@rca.com.au
- Chain of Custody (CoC) (COC)	Email	enviro@rca.com.au
- EDI Format - ENMRG (ENMRG)	Email	enviro@rca.com.au
- EDI Format - ESDAT (ESDAT)	Email	enviro@rca.com.au

FIONA BROOKER

- *AU Certificate of Analysis - NATA (COA)	Email	fionab@rca.com.au
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	fionab@rca.com.au
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	fionab@rca.com.au
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	fionab@rca.com.au
- Chain of Custody (CoC) (COC)	Email	fionab@rca.com.au
- EDI Format - ENMRG (ENMRG)	Email	fionab@rca.com.au
- EDI Format - ESDAT (ESDAT)	Email	fionab@rca.com.au

Gastonjeane Forget

- *AU Certificate of Analysis - NATA (COA)	Email	Gastonjeane.Forget@tollgroup.com
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	Gastonjeane.Forget@tollgroup.com
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	Gastonjeane.Forget@tollgroup.com
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	Gastonjeane.Forget@tollgroup.com
- A4 - AU Tax Invoice (INV)	Email	Gastonjeane.Forget@tollgroup.com
- Chain of Custody (CoC) (COC)	Email	Gastonjeane.Forget@tollgroup.com
- EDI Format - ENMRG (ENMRG)	Email	Gastonjeane.Forget@tollgroup.com
- EDI Format - ESDAT (ESDAT)	Email	Gastonjeane.Forget@tollgroup.com