

*Surface Water Results Summary
Ecological Comparison*

Sample Identification	PQL	Aquatic Ecosystem Guideline ^A	SW1	SW2
Rainfall (mm) in preceding 24hours ^B		95% Fresh	1.6	
Time of Sample Collection			7:00	7:00
Date of Sample Collection			9/12/2024	
Sample Description			Dirty in colour, small amount of sediment, little odour	Dirty in colour, small amount of sediment, little odour
Laboratory Report Reference			ES2440074	ES2440074
Sample Purpose			EPL Compliance	
Sample collected by			Toll	
Ammonia as N	0.01	0.9	1.61	147
Nitrate ^C	0.01	0.04	0.5	352
Oil and Grease	5		<5	6
Total Suspended Solds	5		131	1900

All results are in units of mg/L

Blank Cell indicates no criterion available





PQL = Practical Quantitation Limit.

^A % Protection Level for Receiving Water Type.

^B Based on BOM Williamstown data from 1pm 8th December to 7am 9th December. 0.8mm rainfall recorded from 9am 7th December to 9am 8th December and as such there may be additional rainfall in the preceding 24hr than represented

^C Guidelines for Lowland (Coastal) Rivers in NSW

Results shown in **BOLD** are in excess of the guidelines





CERTIFICATE OF ANALYSIS

Work Order : **ES2440074**
Client : **ROBERT CARR & ASSOCIATES P/L**
Contact : MS FIONA BROOKER
Address : 92 HILL STREET
CARRINGTON NSW 2294
Telephone : +61 02 4902 9200
Project : 12513e
Order number : ----
C-O-C number : ----
Sampler : James Cunningham
Site : ----
Quote number : NSW Custom BQ 2024
No. of samples received : 2
No. of samples analysed : 2

Page : 1 of 2
Laboratory : Environmental Division Sydney
Contact : Danae Hambly
Address : 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone : +61-2-8784 8555
Date Samples Received : 09-Dec-2024 10:38
Date Analysis Commenced : 10-Dec-2024
Issue Date : 16-Dec-2024 11:37



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories

Position

Accreditation Category

Ankit Joshi

Senior Chemist - Inorganics

Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contract for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 ^ = This result is computed from individual analyte detections at or above the level of reporting
 ø = ALS is not NATA accredited for these tests.
 ~ = Indicates an estimated value.

Analytical Results

Sub-Matrix: **WATER**
 (Matrix: **WATER**)

Sample ID

				SW1	SW2	----	----	----
Sampling date / time				09-Dec-2024 07:00	09-Dec-2024 07:00	----	----	----
Compound	CAS Number	LOR	Unit	ES2440074-001	ES2440074-002	-----	-----	-----
				Result	Result	----	----	----
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	----	5	mg/L	131	1900	----	----	----
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	1.61	147	----	----	----
EK057G: Nitrite as N by Discrete Analyser								
Nitrite as N	14797-65-0	0.01	mg/L	2.49	1.28	----	----	----
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.51	352	----	----	----
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser								
Nitrite + Nitrate as N	----	0.01	mg/L	3.00	353	----	----	----
EP020: Oil and Grease (O&G)								
Oil & Grease	----	5	mg/L	<5	6	----	----	----



QUALITY CONTROL REPORT

Work Order : **ES2440074**

Page : 1 of 3

Client : **ROBERT CARR & ASSOCIATES P/L**

Laboratory : Environmental Division Sydney

Contact : MS FIONA BROOKER

Contact : Danae Hambly

Address : 92 HILL STREET
CARRINGTON NSW 2294

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61 02 4902 9200

Telephone : +61-2-8784 8555

Project : 12513e

Date Samples Received : 09-Dec-2024

Order number : ----

Date Analysis Commenced : 10-Dec-2024

C-O-C number : ----

Issue Date : 16-Dec-2024

Sampler : James Cunningham

Site : ----

Quote number : NSW Custom BQ 2024

No. of samples received : 2

No. of samples analysed : 2



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Senior Chemist - Inorganics	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Key :
 Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot
 CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 RPD = Relative Percentage Difference
 # = Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EA025: Total Suspended Solids dried at 104 ± 2°C (QC Lot: 6256472)									
EN2416257-016	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	<5	<5	0.0	No Limit
ES2440117-017	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	38	39	2.6	No Limit
ES2440426-003	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	3040	3010	1.0	0% - 20%
ES2440426-013	Anonymous	EA025H: Suspended Solids (SS)	----	5	mg/L	108	102	5.3	0% - 20%
EK055G: Ammonia as N by Discrete Analyser (QC Lot: 6250510)									
ES2440286-002	Anonymous	EK055G: Ammonia as N	7664-41-7	0.01	mg/L	4.54	4.49	1.2	0% - 20%
ES2440074-001	SW1	EK055G: Ammonia as N	7664-41-7	0.01	mg/L	1.61	1.63	1.2	0% - 20%
EK057G: Nitrite as N by Discrete Analyser (QC Lot: 6247476)									
EN2416259-002	Anonymous	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.0	No Limit
EN2416259-010	Anonymous	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.0	No Limit
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QC Lot: 6250511)									
ES2440074-001	SW1	EK059G: Nitrite + Nitrate as N	----	0.01	mg/L	3.00	3.06	1.9	0% - 20%



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: **WATER**

Sub-Matrix: WATER				Method Blank (MB) Report	Laboratory Control Spike (LCS) Report			
					Spike Concentration	Spike Recovery (%) LCS	Acceptable Limits (%) Low High	
Method: Compound	CAS Number	LOR	Unit	Result				
EA025: Total Suspended Solids dried at 104 ± 2°C (QCLot: 6256472)								
EA025H: Suspended Solids (SS)	----	5	mg/L	<5	150 mg/L	104	83.0	129
				<5	1000 mg/L	98.3	82.0	110
				<5	828 mg/L	90.5	83.0	118
EK055G: Ammonia as N by Discrete Analyser (QCLot: 6250510)								
EK055G: Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.5 mg/L	107	90.0	114
EK057G: Nitrite as N by Discrete Analyser (QCLot: 6247476)								
EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.5 mg/L	91.6	82.0	114
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 6250511)								
EK059G: Nitrite + Nitrate as N	----	0.01	mg/L	<0.01	0.5 mg/L	102	91.0	113
EP020: Oil and Grease (O&G) (QCLot: 6257042)								
EP020: Oil & Grease	----	5	mg/L	<5	5000 mg/L	95.4	81.0	121
				<5	4000 mg/L	85.7	70.0	110

Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: **WATER**

				Matrix Spike (MS) Report			
				Spike Concentration	Spike Recovery (%) MS	Acceptable Limits (%)	
Laboratory sample ID	Sample ID	Method: Compound	CAS Number			Low	High
EK055G: Ammonia as N by Discrete Analyser (QCLot: 6250510)							
ES2440074-001	SW1	EK055G: Ammonia as N	7664-41-7	1 mg/L	79.9	70.0	130
EK057G: Nitrite as N by Discrete Analyser (QCLot: 6247476)							
EN2416259-002	Anonymous	EK057G: Nitrite as N	14797-65-0	0.5 mg/L	112	70.0	130
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser (QCLot: 6250511)							
ES2440074-001	SW1	EK059G: Nitrite + Nitrate as N	----	0.5 mg/L	# Not Determined	70.0	130



QA/QC Compliance Assessment to assist with Quality Review

Work Order	: ES2440074	Page	: 1 of 4
Client	: ROBERT CARR & ASSOCIATES P/L	Laboratory	: Environmental Division Sydney
Contact	: MS FIONA BROOKER	Telephone	: +61-2-8784 8555
Project	: 12513e	Date Samples Received	: 09-Dec-2024
Site	: ----	Issue Date	: 16-Dec-2024
Sampler	: James Cunningham	No. of samples received	: 2
Order number	: ----	No. of samples analysed	: 2

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- **NO** Method Blank value outliers occur.
- **NO** Duplicate outliers occur.
- **NO** Laboratory Control outliers occur.
- Matrix Spike outliers exist - please see following pages for full details.
- For all regular sample matrices, where applicable to the methodology, **NO** surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

- **NO** Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

- **NO** Quality Control Sample Frequency Outliers exist.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: **WATER**

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Ar	ES2440074--001	SW1	Nitrite + Nitrate as N	----	Not Determined	----	MS recovery not determined, background level greater than or equal to 4x spike level.

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: **WATER**

Evaluation: ✖ = Holding time breach ; ✔ = Within holding time.

Method	Sample Date	Extraction / Preparation			Analysis		
Container / Client Sample ID(s)		Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EA025: Total Suspended Solids dried at 104 ± 2°C							
Clear Plastic Bottle - Natural (EA025H) SW1, SW2	09-Dec-2024	----	----	----	13-Dec-2024	16-Dec-2024	✓
EK055G: Ammonia as N by Discrete Analyser							
Clear Plastic Bottle - Sulfuric Acid (EK055G) SW2	09-Dec-2024	----	----	----	11-Dec-2024	06-Jan-2025	✓
Clear Plastic Bottle - Sulfuric Acid (EK055G) SW1	09-Dec-2024	----	----	----	13-Dec-2024	06-Jan-2025	✓
EK057G: Nitrite as N by Discrete Analyser							
Clear Plastic Bottle - Natural (EK057G) SW1, SW2	09-Dec-2024	----	----	----	10-Dec-2024	11-Dec-2024	✓
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser							
Clear Plastic Bottle - Sulfuric Acid (EK059G) SW2	09-Dec-2024	----	----	----	11-Dec-2024	06-Jan-2025	✓
Clear Plastic Bottle - Sulfuric Acid (EK059G) SW1	09-Dec-2024	----	----	----	13-Dec-2024	06-Jan-2025	✓
EP020: Oil and Grease (O&G)							
Amber Jar - Sulfuric Acid or Sodium Bisulfate (EP020) SW1, SW2	09-Dec-2024	----	----	----	13-Dec-2024	06-Jan-2025	✓



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: **WATER**

Evaluation: ✖ = Quality Control frequency not within specification ; ✔ = Quality Control frequency within specification.

Quality Control Sample Type		Count		Rate (%)			Quality Control Specification
Analytical Methods	Method	QC	Regular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Ammonia as N by Discrete analyser	EK055G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	7	14.29	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	4	40	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Ammonia as N by Discrete analyser	EK055G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Oil and Grease	EP020	4	50	8.00	8.00	✓	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	5	40	12.50	12.50	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Ammonia as N by Discrete analyser	EK055G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Oil and Grease	EP020	3	50	6.00	6.00	✓	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	2	40	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Ammonia as N by Discrete analyser	EK055G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	7	14.29	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Suspended Solids (High Level)	EA025H	WATER	In house: Referenced to APHA 2540D. A gravimetric procedure employed to determine the amount of 'non-filterable' residue in a aqueous sample. The prescribed GFC (1.2um) filter is rinsed with deionised water, oven dried and weighed prior to analysis. A well-mixed sample is filtered through a glass fibre filter (1.2um). The residue on the filter paper is dried at 104+/-2C . This method is compliant with NEPM Schedule B(3)
Ammonia as N by Discrete analyser	EK055G	WATER	In house: Referenced to APHA 4500-NH3 G. Ammonia is determined by direct colorimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Nitrite as N by Discrete Analyser	EK057G	WATER	In house: Referenced to APHA 4500-NO2- B. Nitrite is determined by direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Nitrate as N by Discrete Analyser	EK058G	WATER	In house: Referenced to APHA 4500-NO3- F. Nitrate is reduced to nitrite by way of a chemical reduction followed by quantification by Discrete Analyser. Nitrite is determined seperately by direct colourimetry and result for Nitrate calculated as the difference between the two results. This method is compliant with NEPM Schedule B(3)
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	WATER	In house: Referenced to APHA 4500-NO3- F. Combined oxidised Nitrogen (NO2+NO3) is determined by Chemical Reduction and direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Oil and Grease	EP020	WATER	In house: Referenced to APHA 5520 B. Oil & grease is a gravimetric procedure to determine the amount of dissolved or emulsified oil & grease residue in an aqueous sample. The sample is serially extracted three times n-hexane. The resultant extracts are combined, dehydrated and concentrated prior to gravimetric determination. This method is compliant with NEPM Schedule B(3)

<div style="display: flex; justify-content: space-between; padding: 5px;"> <div> CHAIN OF CUSTODY <small>ALS Laboratory. please tick →</small> </div> <div> <small> ADELAIDE 21 Burma Road Pooraka SA 5095 Ph: 08 8359 0890 E: adelade@alsglobal.com BRISBANE 32 Strand Street Stafford QLD 4053 Ph: 07 3243 7222 E: samples.brisbane@alsglobal.com GLADSTONE 48 Callamondah Drive Clinton QLD 4660 Ph: 07 7471 5300 E: gladstone@alsglobal.com </small> </div> <div> <small> MACKAY 75 Harbour Road Mackay QLD 4740 Ph: 07 4944 0177 E: mackay@alsglobal.com MELBOURNE 2-4 Westall Road Springvale VIC 3171 Ph: 03 8549 5690 E: samples.melbourne@alsglobal.com MUDGEE 27 Sydney Road Mudgee NSW 2850 Ph: 02 5372 6735 E: mudgee.mel@alsglobal.com </small> </div> <div> <small> NEWCASTLE 5/55 Maitland Rd Mayfield West NSW 2304 Ph: 02 4014 2500 E: samples.newcastle@alsglobal.com NOOWRA 4/13 Geary Place North Nowra NSW 2541 Ph: 024423 2063 E: nowra@alsglobal.com PERTH 10 Hed Way Malaga WA 6060 Ph: 08 9209 7655 E: samples.perth@alsglobal.com </small> </div> <div> <small> SYDNEY 277-289 Woodpark Road Smithfield NSW 2164 Ph: 02 8784 8555 E: samples.sydney@alsglobal.com TOWNSVILLE 14-15 Osma Court Bohle QLD 4818 Ph: 07 4795 0600 E: townsville.environmental@alsglobal.com WOLLONGONG 99 Kenny Street Wollongong NSW 2500 Ph: 02 4225 3125 E: portkembla@alsglobal.com </small> </div> </div>		CLIENT: RCA Australia		TURNAROUND REQUIREMENTS : <input type="checkbox"/> Standard TAT (List due date): <small>(Standard TAT may be longer for some tests e.g.. Ultra Trace Organics)</small>		FOR LABORATORY USE ONLY (Circle) Custody Seal Intact? Yes No N/A Freeze / frozen ice bricks present upon receipt? Yes No N/A Random Sample Temperature on Receipt: °C Other comment: 23.0	
		OFFICE: 92 Hill Street, Carrington		ALC QUOTE NO.: SYBQ_400_21			
RCA Ref No: 12513e		COC SEQUENCE NUMBER (Circle) COC: 1 OF: 1					
PROJECT MANAGER: Fiona Brooker		CONTACT PH: 0408 687 529					
SAMPLER: Client James Cunningham		SAMPLER MOBILE: -- 0475722038		RELINQUISHED BY: James Cunningham		RECEIVED BY: Emma	
COC emailed to ALS? (NO)		EDD FORMAT (or default):		DATE/TIME: 9-12-24 7am		DATE/TIME: 09/12/24 10:38	
Email Reports to: administrator@rca.com.au + enviro@rca.com.au				DATE/TIME: 9/12 1700		DATE/TIME: 9/12/24 1938	
Email Invoice to: as above							
COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:							
ALS USE		SAMPLE DETAILS MATRIX: SOLID (S) WATER (W)		CONTAINER INFORMATION		ANALYSIS REQUIRED including SUITES (NB. Suite Codes must be listed to attract suite price) Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).	
						Additional Information	
LAB ID	Sample ID	Date / Time	Matrix	Type & Preservative <small>(refer to codes below)</small>	Total Containers	Ammonia	Nitrate
1	SW1		W	Purple Glass, Purple Plastic, Green Plastic	3	x	x
2	SW2		W	Purple Glass, Purple Plastic, Green Plastic	3	x	x
LAB OF ORIGIN: NEWCASTLE						E-MAILED	
TOTAL						6	2

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; AP = Airfreight Unpreserved Plastic;
V = VOA Vial HCl Preserved; VB = VOA Vial Sodium Bisulphate Preserved; VS = VOA Vial Sulfuric Preserved; AV = Airfreight Unpreserved Vial SG = Sulfuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulfuric Preserved Plastic; F
Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bag for Acid Sulphate Soils; B = Unpreserved Bag.

Environmental Division
Sydney
Work Order Reference
ES2440074





SAMPLE RECEIPT NOTIFICATION (SRN)

Work Order : **ES2440074**

Client : **ROBERT CARR & ASSOCIATES P/L**
Contact : **MS FIONA BROOKER**
Address : **92 HILL STREET
CARRINGTON NSW 2294**

E-mail : **fionab@rca.com.au**
Telephone : **+61 02 4902 9200**
Facsimile : **+61 02 4902 9299**

Project : **12513e**
Order number : **----**

C-O-C number : **----**
Site : **----**
Sampler : **James Cunningham**

Laboratory : **Environmental Division Sydney**
Contact : **Danae Hambly**
Address : **277-289 Woodpark Road Smithfield
NSW Australia 2164**

E-mail : **danae.hambly@alsglobal.com**
Telephone : **+61-2-8784 8555**
Facsimile : **+61-2-8784 8500**

Page : **1 of 2**
Quote number : **EN2023ROBCAR0002 (NSW Custom
BQ 2024)**
QC Level : **NEPM 2013 B3 & ALS QC Standard**

Dates

Date Samples Received : **09-Dec-2024 10:38**
Client Requested Due : **16-Dec-2024**
Date

Issue Date : **09-Dec-2024**
Scheduled Reporting Date : **16-Dec-2024**

Delivery Details

Mode of Delivery : **Undefined**
No. of coolers/boxes : **1**
Receipt Detail :

Security Seal : **Not Available**
Temperature : **23**
No. of samples received / analysed : **2 / 2**

General Comments

- This report contains the following information:
 - Sample Container(s)/Preservation Non-Compliances
 - Summary of Sample(s) and Requested Analysis
 - Proactive Holding Time Report
 - Requested Deliverables
- **Please refer to the Proactive Holding Time Report table below which summarises breaches of recommended holding times that have occurred prior to samples/instructions being received at the laboratory. The laboratory will process these samples unless instructions are received from you indicating you do not wish to proceed. The absence of this summary table indicates that all samples have been received within the recommended holding times for the analysis requested.**
- Please direct any queries you have regarding this work order to the above ALS laboratory contact.
- Unless otherwise stated, analytical work for this work order will be conducted at ALS Sydney, NATA accreditation no. 825, site no. 10911.
- Sample Disposal - Aqueous (3 weeks), Solid (2 months \pm 1 week) from receipt of samples.
- Please be aware that APHA/NEPM recommends water and soil samples be chilled to less than or equal to 6°C for chemical analysis, and less than or equal to 10°C but unfrozen for Microbiological analysis. Where samples are received above this temperature, it should be taken into consideration when interpreting results. Refer to ALS EnviroMail 85 for ALS recommendations of the best practice for chilling samples after sampling and for maintaining a cool temperature during transit.



Sample Container(s)/Preservation Non-Compliances

All comparisons are made against pretreatment/preservation AS, APHA, USEPA standards.

- No sample container / preservation non-compliance exists.

Summary of Sample(s) and Requested Analysis

Some items described below may be part of a laboratory process necessary for the execution of client requested tasks. Packages may contain additional analyses, such as the determination of moisture content and preparation tasks, that are included in the package.

If no sampling time is provided, the sampling time will default 00:00 on the date of sampling. If no sampling date is provided, the sampling date will be assumed by the laboratory and displayed in brackets without a time component

Matrix: **WATER**

Laboratory sample ID	Sampling date / time	Sample ID	WATER - EA025H Suspended Solids - Standard Level	WATER - EK055G Ammonia as N By Discrete Analyser	WATER - EK058G Nitrate as N by Discrete Analyser	WATER - EP020 Oil & Grease (O&G)
ES2440074-001	09-Dec-2024 07:00	SW1	✓	✓	✓	✓
ES2440074-002	09-Dec-2024 07:00	SW2	✓	✓	✓	✓

Proactive Holding Time Report

Sample(s) have been received within the recommended holding times for the requested analysis.

Requested Deliverables

ADMINISTRATOR

- *AU Certificate of Analysis - NATA (COA)	Email	administrator@rca.com.au
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	administrator@rca.com.au
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	administrator@rca.com.au
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	administrator@rca.com.au
- A4 - AU Tax Invoice (INV)	Email	administrator@rca.com.au
- Chain of Custody (CoC) (COC)	Email	administrator@rca.com.au
- EDI Format - ENMRG (ENMRG)	Email	administrator@rca.com.au
- EDI Format - ESDAT (ESDAT)	Email	administrator@rca.com.au

ALL INVOICES

- A4 - AU Tax Invoice (INV)	Email	administrator@rca.com.au
-----------------------------	-------	--------------------------

ENVIRO

- *AU Certificate of Analysis - NATA (COA)	Email	enviro@rca.com.au
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	enviro@rca.com.au
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	enviro@rca.com.au
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	enviro@rca.com.au
- A4 - AU Tax Invoice (INV)	Email	enviro@rca.com.au
- Chain of Custody (CoC) (COC)	Email	enviro@rca.com.au
- EDI Format - ENMRG (ENMRG)	Email	enviro@rca.com.au
- EDI Format - ESDAT (ESDAT)	Email	enviro@rca.com.au

FIONA BROOKER

- *AU Certificate of Analysis - NATA (COA)	Email	fionab@rca.com.au
- *AU Interpretive QC Report - DEFAULT (Anon QCI Rep) (QCI)	Email	fionab@rca.com.au
- *AU QC Report - DEFAULT (Anon QC Rep) - NATA (QC)	Email	fionab@rca.com.au
- A4 - AU Sample Receipt Notification - Environmental HT (SRN)	Email	fionab@rca.com.au
- Chain of Custody (CoC) (COC)	Email	fionab@rca.com.au
- EDI Format - ENMRG (ENMRG)	Email	fionab@rca.com.au
- EDI Format - ESDAT (ESDAT)	Email	fionab@rca.com.au